

## Dairy Recommended Vaccination Schedule

### Birth

- TSV-2 IBR/PI<sub>3</sub> Intranasal
- First Defense bolus (if not vaccinating cows for E coli and rota/corona virus)
- Calfguard orally (if not vaccinating cows for and rota/corona virus)

### Pre-weaning

- IBR, BVD, PI<sub>3</sub>, BRSV - if necessary for pneumonia problems
- Pasteurella pneumonia (Vista Once SQ) - if necessary for pneumonia problems
- Clostridium - optional

### 4-8 months

- IBR
  - BVD
  - PI<sub>3</sub>
  - BRSV
  - Lepto
  - Brucellosis – optional
  - Clostridium - optional
- Pyramid, Triangle, Vista

### 12-15 months (pre-breeding)

- IBR
  - BVD
  - PI<sub>3</sub>
  - BRSV
  - Lepto
  - Clostridium – optional
- Pyramid, Triangle, Vista

### 6 weeks pre-calving (requires booster 2-4 weeks)

- Rota/corona virus
- E coli scours
- E coli endotoxin

### 2-6 weeks post-calving

- BVD/IBR/PI<sub>3</sub>/BRSV/Lepto combination (modified live)

Vaccination schedule continues with pre-calving scour vaccine, pre-calving endotoxin vaccine, and post-calving combination vaccination. Problems with abortion, clostridial infections, or neonatal pneumonia may require additional vaccinations.